

Medium Formulated at Normal Blood Glucose Level (0.9008g/L) without Serum and with CultureBoost-R™ (4N3-500-R)

Product Description: This Medium without serum always refers to a medium intended to be supplemented by serum to become complete. This is not a complete medium. For complete medium, add 5-20% Serum (defined FBS or equivalent) and human recombinant growth factor, CultureBoost-R™. Medium contains no added hormones or antibiotics, however, Bac-Off® (Cat. #4Z0-643) antibiotic solution is recommended for all Cell Systems media.

- Must be supplemented with 5 20% fetal bovine serum to become complete
- Must be supplemented with CultureBoost-R™ (4CB-500-R included)
- Do not contain serum
- Do not contain phenol red

Cell Systems media and reagents are sterile, made with WFI and all components are cGMP and ISO Compliant.

Components: Kit consists of 500mL normal blood glucose level (0.9008g/L) Medium, 10mL CultureBoost-R™ (4CB-500-R) and 10mL Attachment Factor™ 4Z0-201, extracellular matrix reagent for coating flasks. To make a complete medium, add 5-20% serum (defined FBS or equivalent) and the included CultureBoost-R™.

**Storage:** Immediately refrigerate (2 - 8°C) the medium, CultureBoost<sup>™</sup>-R, and AttachmentFactor<sup>™</sup>. If the entire 500mL unit of media will not be used within 30

days, supplement the medium with 5-20% Serum and the included 10mL CultureBoost-R™, then aliquot and freeze in smaller units, which must be used within 30 days. Once the unit is supplemented, or any component of the medium kit is opened, the shelf life is 30 days at refrigerated (2 - 8°C) temperatures. Store AttachmentFactor™ at 2 - 8°C between uses.

**Product Use:** 4N3-500-R is for laboratory research only. It is not approved for human or animal use, or for application in *in vitro* diagnostic procedures.

**Shipping:** All medium and reagents shipped at ambient temperature.

Instructions for Use: Spray the outside of all tools/instruments (bottles, tubes, racks, etc.) with ethanol solution before bringing them under the hood. Make sure all work surfaces are disinfected. Spray the outside of your gloves prior to work under the hood.

- Place under hood 500mL media, 10mL CultureBoost-R™ and 5-20% Serum.
- Remove shrink wrap and place cap sides down under hood onto ethanol sprayed gauze.
- Pipette or pour CultureBoost-R™ and 5-20% Serum into 500mL media.
- Replace cap on media and refrigerate or use in cell culture.
  Media is now complete.